

## **BELFAIR WATER DISTRICT #1**

## **Cross-Connection Control Survey**

This survey is for the purpose of collecting data so the district can take every precaution to help protect the integrity of our water supply and update the Districts records to assure that each and every one of our customers have safe drinking water. A cross-connection is any actual or potential physical connection between a public water system and the consumer's water system and source of non-potable liquid, solid, or gas that could contaminate the potable water supply by backflow.

1. Residential Commercial		
If commercial, specify business name & type:		
2. Rent Own		
If renting, please provide name & address of owner:		
4. Do you have any of the following: (please circle appropr	iate answer)	
a. Swamp Cooler		0
b. Hot Tub	Yes N	О
c. Jacuzzi	Yes N	О
d. Swimming Pool	Yes N	o
e. Underground Sprinkler System	Yes N	o
f. Drip Irrigation	Yes N	o
g. Greenhouse	Yes N	0
h. Solar System	Yes N	o
j. Utility Sink with Threaded Faucet	Yes N	0
k. Ghost Pipes (unidentified piping)	Yes N	0
5. Does anyone on this premise use a dialysis machine?	Yes N	o
6. Do you or anyone in the home use the following:		
a. Anti-Freeze Flush Kits	Yes N	^
b. Insecticide Sprayers (attached to garden hose		10 <b>7</b> 000
c. Darkroom Equipment	Yes N	2700
7. Do you have a bathtub that fills from the bottom & doesn't have an overflow drain & is not air gapped?	Yes No	0
8. Do you have a water softener or any other treatment system that is connected to your water supply?	Yes No	D

9. Do you have an auxiliary water supply of	on vour premise?	Yes	No		
or so you have an adminity water supply to	on your premise:	res	NO		
10. Do you have livestock (horses, cows, e	etc.)?	Yes	No		
11. Is the home/building 30ft or more about	ove the water meter?	Yes	No		
12. Does a creek, river, or spring run near	your property?	Yes	No		
Do you pump/draw water fror	n this source?	Yes	No		
13. Do you have a booster pump, well pur type of water pump?	mp or any other	Yes	No		
14. Do you receive irrigation water from a	different source?	Yes	No		
15. Do you have a backflow device on you Where?		Yes	No		
16. Do you have any other water-using eq property not mentioned above?	uipment on your	Yes	No		
If answered yes to any of the above please Attach additional paper as needed.  Please notify Belfair Water District #1  If you have any questions please (360)27  Thank you for working with us to p	if any of the above confeel free to contact of 5-3008.	ur office a	t		
	/				
Signature of Water Customer	Date	Printed	Printed Name		
Mailing Address:		Physica	Physical Address:		
	_				
	_				
	_	-			
Phone Number	_				

James Freeman Cross-Connection Control Specialist (360) 275-3008 (360) 801-4528